Journal of
APPLIED POLYMER SCIENCE

Volume 45, 1992

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark
Polymer Research Institute
Polytechnic University
333 Jay St.
Brooklyn, NY 11201

ASSOCIATE EDITORS

Clive Bosnyak
Polycarbonate
Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

Stam G. Mylonakis
EniChem America Inc.
2000 Cornwall Road
Monmouth Junction,
NJ 08852

Brian W. Pengilly
Goodyear Tire &
Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

Debra Wilfong
Medical Specialties
3M Company
3M Center
260-3A-04
St. Paul, MN 55144-1000

ADVISORY BOARD

C. D. Armeniades
N. M. Bikales
D. C. Bogue
W. Bonfield
D. C. Bonner
R. F. Boyer
S. Carr
M. E. Carrega
H. Cherdron
R. E. Cohen
J. M. G. Cowie
A. T. DiBenedetto
G. W. Ehrenstein
M. S. El-Aasser
Y. S. Enikolopian
C. V. Evins
G. F. Fanta
F. Garbassi
P. H. Geil
J. K. Gillham
J. E. Glass
W. G. Glasser
I. R. Harrison
A. Hiltner
H. Höcker
H. B. Hopfenberg
J. Idol
R. Ikeda
M. Ito
J. L. Kardos
A. Keller
F. N. Kelley
L. Könczöl
M. Kryszewski
C. Macosko
V. Malpass
K. Matsushige
S. Matsuzawa
K. A. Mauritz
G. Mayer
J. Mijovic
A. Muñoz-Escalona
C. L. Myers
L. Nicolais
I. Noda
J. H. O'Donnell
N. Ogata
O. F. Olaj
E. F. Oleinik
M. M. O'Mara
M. S. Parthasarathy
D. R. Paul
L. H. Peebles
N. A. Platé
G. W. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
L. Rebenfeld
F. Rodriguez
A. Rudin
R. Salovey
M. Sawamoto
M. T. Shaw
L. Shi
A. Siegmann
L. H. Sperling
J. E. Spruiell
D. R. Squire
Z. H. Stachurski
J. W. Stevens
H.-M. Tan
Ph. Teyssie
S. Tripathy
R. Vera-Graziano
I. M. Ward
J. L. White
G. L. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Merilee Croft, Sheila Kaminsky

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science* (ISSN 0021-8995), tri-monthly, *Applied Polymer Symposia* (ISSN 0570-4898), irregularly. Published tri-monthly, three volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1992 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law without the permission of the copyright owner is unlawful.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law. The per-copy fee for each item is $4.00 and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (1992): $2,355.00. Outside USA: $2,805.00 (air service and handling included). Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

For subscription inquiries, please call customer service at (212) 850-6645 or write to the above address.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Susan Malawski, Fulfillment Manager, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed in the following: *Current Contents/Physical, Chemical and Earth Sciences; Engineering Index; Current Contents/Engineering Technology and Applied Sciences; Science Citation Index; Chemical Abstracts; Excerpta Medica; Applied Mechanics Reviews; RAPRA Abstracts;* and *Chemical Titles.*

Journal of Applied Polymer Science

Subject Index to Volume 45

α-form crystals, 1203
α relaxation, 1799
α,β-unsaturated aldehydes, 597
(Alkyl) cellulose ethers, 417
ABS copolymer processing, 1229
Absorbing scattering fibers, 723
Acetylene, transport properties, 819
Acid–base interaction, 1777
Acid catalysts, 309
Acids, 2235
Acoustic emission (AE) technique, 865
Acrylamide polymerization, 2079
Acrylic monomers, 1617
Acylation, 1719
Adhesion, 683, 695, 947, 1329
Adhesive compositions, 355
Adhesive monomers, 1329
Adsorption, 245, 265, 837, 1165, 1455, 1463
Adsorption chromatography, 245
Advanced composites, 451
Agrochemicals, 909, 915
Alkali metals, 1521
Alkyl group substitution (*DS*), 417
Allen and Goldfinger model, 723
Amino acid analysis, 1719
Amino resins, 597
Aminolysis, 2037
Anaerobic initiated polymerization, 1
Anaerobic resins, 1
Anions, 1557
Annealing, 1245
Aqueous swelling kinetics, 1411
Aromatic polyimides, 813
Asymmetric hollow fiber membrane, 2181
Asymmetric induction, 1587
Asymmetry, 1587
Atomic force microscopy (AFM), 1945
Atomization process, 2061
Axial tension, 997
Azo initiators, 1383, 1397

β-form crystals, 1203
β relaxation, 1799
Barbituric acid (BTA), 103
Barrier elastomers, 1107
Batch emulsion copolymerization, 2207, 2221
Batch preparation process, 1093
Binary blends, 1789
Biodegradability, 1667
Biodegradable natural composites, 1667
Bismaleimide thermoset resin, 451
Bismaleimides (BMI), self-polymerization, 103
Bismaleimides, heat resistance, 177
Blend membrane, 1711
Blends, 217, 273, 339, 531, 1127, 1135, 1195, 1245, 1303, 1789, 1831, 1837, 1857, 1873, 1881, 1957, 2075
Blister test, 1151
Block copolymers, 1195, 1313
Bond strength, 1291
Bonded elastomer discs, 865
Bovine fibrinogen (BF6), 245
Buffer effects, 1411
Butyl rubber, current–voltage characteristics, 1733

$CaCO_3$ fillers, 1527
C_{36} dimeric fatty acids, 2245
^{13}C-NMR spectroscopy, 363
Carbazole-based polysulfones, 1685
Carbon black, 1733
Carbon black filler, 181
Carbon fiber–BMI composites, 683
Carbon fiber/epoxy prepreg system, 399
Carbonaceous particles, 2061
Cardonal oligomerization, 309
Catalytic grafting technique, 1023
Cationic electrodeposition, 1055
Cationic quaternary polyelectrolytes, 61
Cationic resins, 1075
Cationic ring-opening polymerization, 1355
Cellulase treatment, 1869
Cellulose–chitosan films, 1873
Cellulose cinnamates, 387
Cellulose fibers, 1667
Cellulose films, 1569, 1857
Ceric ion consumption, 981
Charged ultrafiltration membranes, 1897
Chelating resin, 173
Chemical interactions, 1743
Chemiluminescence (CL), 1229
Chiral polymers, 1587
Chitosan films, 1857
Clusters, 1087
Coconut husk lignin, 633, 645
Colloidal applications, 611
Compatibilization, 1789
Composite films, 843
Composite latex particle morphology, 487
Composites, 2113
Compression, 865
Concurrent nickel evaporation, 147
Conducting polymers, 843
Conductive polymers, 2057
Continuous esterification, 765
Continuous esterification process, 1919
Continuous polymer fractionation (CPF), 1265
Conversion, 2127

Copolymer chemical composition, 957
Copolymer latex films, 2221
Copper foil, 947
Correlation diagram, 1431
Corrosion protection, 1291
Corrosion-resistant coatings, 1705
Cotton bolls, 299
Cotton cellulose, 1341
Cotton fabrics, 1869
Cotton fibers, 299
—, strength, 967
Coupling agent, 1213
Crack growth, 1397
Creep, 1431
Creep function calculations, 237
Creep resistance, 1569
Cresol-formaldehyde novolak resins, 363
Cross-link density, 1617
Cross-linked HPC films, 1569
Crosslinking, 111, 563, 573, 1075, 1491, 1545, 1569, 1611, 1711, 1743, 1849, 1903, 2127, 2127
Crosslinking agents, 227
Crosslinking density, 177
Crosslinking thiol, 471
Crosslinks, 749, 755
Cross-polarization constants, 391
Crystal growth, 2005
Crystallization kinetics, 2005
Curative interactions, 563, 573, 749, 755, 1491, 1545
Cure stoichiometry, 1175
Curing, 227, 923, 1727
Curing agents, 607
Curing systems, 749

DC conduction, 1733
Decomposition rate measurement, 931
Degradable materials, marine applications, 217
Degradation, 1763, 2239
Degrees of substitution (*DS*), 387
Dental ceramics, 1329
Desorption, 265
Dielectric analysis, 901
Dielectric properties, 2097
Differential scanning calorimetry (DSC), 1049, 2153
Diffusion, 2105, 2235
Dilatometers, 37
Dilute acid hydrolysis, 1811
Dilute solution properties, 61
Direct dye dyeing, 1869
Dispersion stability, 85
Draw resonance, 2169
Drawn PET yarns, 1649
Dyeing, 723
Dyes, 1011
Dynamic forced bending, 1441
Dynamical mechanical analysis, 1087

Elastomer composites, 1693
Elastomers, 1107, 1303, 1763
—, permeation resistance, 1473
Electrical conductivity, 557, 827
Electrically conducting polymers, 1973
Electrochemical synthesis, 1973
Electron spectroscopy for chemical analysis (ESCA), 937
Electron spin resonance (ESR), 563
Emulsion polymerization, 79
Emulsion polymerization systems, 2187
Environmental conditions, 1485
Environmental degradation, 2239
Epoxide oligomers, 901
Epoxidized natural rubber (ENR), 1705
Epoxidized polybutadiene, 273
Epoxy/carbon fiber composites, 1743
Epoxy chelate polymers, 1557
Epoxy composites, 1799
Epoxy resin, 1145, 1239, 1281
Epoxy resins, 607, 709, 923, 1075, 2235
Epoxy systems, 2127
Esterification, 765
ETFE polymer films, 111
Excimer laser darkening, 111
Extruders, 1093

Fatty acids, 2245
FEF black-loaded rubber vulcanizates, 557
Fiber diameter, 443
Fiber surface treatment, 443
Fiber-reinforced composites, 2005
Fibroin membranes, 1937
Fick's law, 819
Fick's Second Law, 2105
Filled polyethylene membrane response, 1485
Films, 1873, 1881, 1973, 2057
Finely porous models (FPMs), 159
Fineman–Ross method, 1587
Fire retardancy, 1145
Fire retardant synergism, 1145
Flat-spring supported polymers, 987
Flory-Huggins interaction parameters (χ), 619
Fluorescence, 1641
Fluoropolymer γ-irradiation, 783
Fluoropolymers, 783
Formaldehyde, 1455
Formal-group-containing diisocyanates, 1335
Fourier transform infrared (FTIR) spectroscopy, 1831
Fractography, 1595
Free radical polymerization, 187
Free-radical polymerization, 579
Friction factors, 159
Functional azo initiators, 1367
Functional end groups, 931

Gamma irradiation, 783, 853
Gamma radiation-induced graft copolymerization, 2031
Gas chromatography (GC) studies, 1101
Gas diffusion, 1223
Gas sensor devices, 1041
Gas solubility, 1223
GC/MS technique, 1101
Gel filtration, 25
Gel permeation chromatography (GPC), 461, 797, 837, 981
Gels, 25, 293, 1995
Generalized Donnan model, 1011
Gent's equation, 865
Glass beads composites, 1799
Glass fiber–BMI composites, 695
Glass transition temperature, 901

Glass transitions, 2145
Glasses, 1501
Glassy polymers, 531, 1497
Glassy state, 1501
GPC-UV analysis, 435
Graft copolymerization, 71, 349, 591, 1823, 2159, 2199
Graft polymerization, 79, 553, 981, 1425

Hazardous organic liquids, 1107
Heat transfer area, 1919
Heat-setting, 29
Heavy metal ions, 265
Heavy-metal ions, 1463
High electrolyte concentration, 85
High performance liquid chromatography (HPLC), 1
High-pressure dilatometer, 745
High-temperature resistant polymers, 177
High-temperature stabilization, 1521
Hollow fiber modules, 2181
Homopolymerization, 2187
Huggins equation, 1635
Hydroaromatics, 51
Hydrogel swelling, 293
Hydrogels, 805, 1005, 1849
Hydrogen bonds, 1937
Hydrophilic gels, 1005
Hydrophilic network copolymers, 1611
Hydrophilic polymer networks, 1005
Hydrophilicity, 2037

Imidization, 947
Impact modifiers, 1303
Impact resistance, 1679
Impact strength, 1303, 1789
Impact testing, 1595
Impact-modified polymers, 317
Infinite dilution, 677
Infrared (IR) spectra, 993
Infrared (IR) spectroscopy, 645, 937
Infrared spectroscopy (IR), 1, 2199
Inhomogeneous stretch, 997
Initiators, 333
Injection molded blends, 1135
Injection temperature, 339
Injection-mixed PMMA–phenoxy blends, 339
Insecticide, 909, 915
Interface, 1383
Interfacial adhesion, 1023, 1837
Interfacial bonding, 1291
Interfacial shear strength, 443
Interpenetrating polymer network (IPN), 1367, 1383, 1397
Interpenetrating polymer networks (IPNs), 1753
Interphase, 1743
Intrinsic viscosity, 1635
Ion transport, 285
Ionizing radiation, 1865
Ionomers, 1837
Isocyanate content, 1175
Isothermal aging, 1501
Isothermal physical aging, 501
Isothermal stability tests, 1537

Jinglun acrylic fiber, 871

Kaolin suspension, 349
Kelen–Tüdos equation, 655
Kinetic parameter estimation, 2187
Kraemer equation, 1635

Laser marking, 583
Laser systems, 1641
Latency, 607
Latexes, 85
Lewis acid–base interaction energy, 1777
Ligand donor group, 135
Ligands, 1557
Light scattering (LS), 407
Lignin, 407, 633, 645
Lignins, 71
Limiting viscosity number $[\eta]$, estimation, 677
Lipids, 2105
Liquid crystalline phase-formation behavior, 387
Liquid crystallinity, 2153
Low-shrink unsaturated polyester resins, 37

Macromolecular entanglement, 871
Macroreticular chelating resin, 837
Marine applications of degradable materials, 217
Mark–Houwink constants, 119
Mass spectrometry (MS) techniques, 1101
Matrix structure, 1383
Matrix synthesis, 909
m-Cresol, 1623
Mechanical properties, 1649
Mechanical stability, 1995
Melamine-formaldehyde (MF) resins, 1903
Melt processing, 1245
Melt spinning, 2169
Membrane porosity, 1035
Metal ions, 1865
Metal-containing polymers, 1557
Metallized polymer films, 2057
Methyl methacrylate (MMA) polymerization, 333
Methyl methacrylate (MMA), and wood sawdust, 425
Microenvironment, 279
Microporous sheets, 1527
Microspheres, 245
Milling, 937
Miscibility, 1831
Modification of graft polymers, 1425
Modifiers, 709, 1679
Molecular architecture, 1313
Molecular weight, 887
Molecular weight distribution, 797
Molecular weight measurement, 1635
Molecular weight measurements, 579
Monodisperse polymer particle preparation, 1783
Monomer reactivity ratios, 853, 1889
Monomers, 111, 2113
Mössbauer spectra, 993

N_2 gas permeation method, 1527
Nanofiltration (NF) membranes, 159
Natural rubber, 1165
Natural rubber (NR), 1705, 1967, 2239

—, milling, 937
Network maturing reactions, 573, 1491
Never-dried cotton fibers, 299
Nickel ion removal, 173
Nonlinear differential equations, 187
Nonpolar particle dispersion, 611
Norbornene–thiol copolymers, 471
Novel nematic liquid crystalline polymer, 583
Nuclear magnetic resonance (NMR) spectroscopy, 645
Nucleation, 2005
Nut shell flour, 91
Nylon 6, 507
Nylon-6 composites, 843
Nylon 6 fibers, 1967
Nylon 66, 1635

Oligomer characteristics, 731
Oligomerization, 309
Oligomers, 363, 797, 1919
Organometallic coupling agents, 683, 695
Oxirane groups, 279
Oxygen destabilization, 1537

Particle morphology, 487
Particle size, 1281
PBT stretched sheets, 1203
PEEK solubility characteristics, 1361
Pendent groups, 749, 755
Penetrant sorption, 1497
Penicillin G acylase immobilization, 279
Permeation, 1473, 1897, 2181
Permselective membranes, 1361
Perturbations, 501
PET fibers, 2037
Phase behavior, 1135
Phase separation, 1783, 1831, 2075
Phenolic end-groups, 435
Phenolic resins, 597
Photografting, 1617, 1897
Photoinitiated crosslinking, 471
Photopolymer films, 17
Physical aging, 1501
Physical structure, 1649
Plasma polymerization, 135, 147, 1041, 1101
Plasticizer loss, 2091, 2097
Plastics, deterioration, 51
Polar particle dispersion, 611
Poly(ethylene terephthalate) (PET) structural changes, 29
Polyacrylonitrile (PAN) film, 827
Polyanhydride microspheres, 125
Polyaramids, 1983
Polycarbonate creep, 237
Polyelectrolyte gels, 1411
Polyethersulfone (PES) ultrafiltration membranes, 1945
Polyethylene-organic fiber composites, 91
Polyimide coatings, 947
Polyimides, 1335
Polyimidothioethers, synthesis, 669
Polymer blends, 1623, 1661, 1679
Polymer composites, metal-containing, 1041
Polymer instability, 2169
Polymer plate configurations, 2021
Polymer swelling, 619
Polymer ternary complexes, 1641
Polymer wear debris, 2021
Polymer wear process, 2021
Polymer/fiber composites, 1023
Polymeric fibers, 997
Polymeric networks, 2121
Polymeric substrates, 993
Polymer-laminated steel sheet, vibration damping properties, 893
Polymer-supported Schiff base iron (III) complexes, 993
Polymer–polymer adhesion, 1151
Polyolefines, 1521
Polypropylene (PP) samples, crystallinity, 663
—, isotactic index, 663
Polystyrene–liquid systems, 619
Polyurethane ionomers, 1087
Polyurethane (PU) elastomers, 391
Polyurethanes, composition, 1175
Pore-formation mechanism, 1035
Porogen-derived membranes, 1065
Porogens, 1065
Porosity, 1527, 2061
Porous polymer surfaces, 377
Postcondensation industrial reactors, 507
Post-curing reactions, 1005
PPS solubility characteristics, 1361
Prepreg aging, 399
Pressure-sensitive acrylic adhesives, 355
Pressure-volume-temperature (PVT), 37
Pressure–volume–temperature (PVT) measurements, 745
Proteins, 1865
PS matrices, toughening, 1313
Pullulan, 591
PVA/chitosan blend membrane, 1711

Quasi-adiabatic calorimetry, 1537
Quasistatic bending, 1441

Radiation, 783, 853
Radiation induced wood plastic composite (WPC) formation, 167
Radiation-induced wood plastic composites (WPC), 2113
Radical copolymerization, 1889
Radical polymerization, 1889
Rare earth (RE) metal-containing polymers, 1641
Reaction kinetics, 1811
Reactive additives, 923
Reactive extrusion process, 1093
Reactivity ratios, 655, 1911
Recycle process, 731
Reinforced reaction injection molding (RRIM) method, 1213
Reinforced reaction injection-molded (RRIM) polyimide

block copolymer (NBC), 1595
Reinforcement, natural rubber (NR), 1967
Relaxation curves, 237
Relaxations, 1431, 1441
Release mechanism, 915
Residual stress, 1239
Resin copolymers, 655
Resins, 1055, 1903
Rubber, fuel resistance, 1473
Rubber blend systems, 181
Runge–Kutta technique, 187

Salts, 371
Saturated copolyesters, 1727
SB block copolymer, 1223
Scanning electron microscopy (SEM), 1945, 2199
SEBS block copolymers, 1957
Seed proteins, 2043
Segmental interactions, 273
Self-vulcanizable rubber blend systems, 181
Semicontinuous emulsion copolymerization, 957, 2207, 2221
Semicontinuous esterification process, 731
Semi-interpenetrating polymer networks (semi-IPN), 2145
Separation, 2181
Sequential debonding procedure, 1151
Shape memorizing plastics, 1849
Sharples' end-attack model, 1811
Shear viscosity, 1623, 1837
Short-fiber reinforcement, 1693
Side chains, alkyl groups, 1127
Silk, chemical modification, 1189
—, dyeing behavior, 1189
Silk fibers, chemical modification, 1719
Silk fibroin, 1189
Size exclusion chromatography (SEC), 2199
Size-exclusion chromatography (SEC), 1983
Skin-core structure, 723
Sodium alginate, and fibroin membranes, 1937
Soft block polarity, 1175
Solidification, 745
Solid-state polymerization (SSP), 507
Solid–liquid interface, 1165
Solubility parameters, 813, 1911
Solute exclusion technique, 805
Solution blending, 1661
Solution copolymerization, 1911
Solvents, 2049
Solvent–nonsolvent treatment, 377
Sol–gel transition, 1865
Sorption, 17, 1011, 1107, 1777, 2105
Sorption isotherms, 1497
Spherical silica, 1281
Spherical tannin resin (STR), 1463
Spray drying, 125
Stability, 1127
Starch content, 1881
Starch urea formaldehyde (starch-UF) matrix encapsulation, 909, 915
Statistical component analysis (PCA), 1649
Stone ground wood (SGW), 71
Stress, 1239
Stress relaxation, 253
Stress whitening suppressants, 317
Structural reaction injection molding (SRIM), 1693
Styrenic polymers, 461
Sucrose crosslinking, 25
Sulfone polymers, 1685
Superabsorbent polymers, 2031
Surface behavior, 1195, 2075
Surfactants, 487
Swellable two-phase systems, 2121
Swelling, 293, 377, 1411, 1711
Swelling equations, 2121
Swelling treatment, 967
Synthetic resins, bacteriocidal properties, 521
—, thermal behavior, 521

Tack tests, 399
Tannin resin, 1455, 1463
Tear resistance, 1397
Temperature, 1753
Tensile mode tests, 987
Tensile strength, 987, 1753
Tensile testing, 2169
Terephthalic acid (TPA) process, 371
Terpolymers, 119
Tetrahydrofuran (THF) polymerization, 1355
Tetrahydrofurane (THF) formation, 371
Texture, 871
Theoretical plates, 1265
Thermal aging, 531, 2091, 2097
Thermal behavior, 583
Thermal conductivity, 1957
Thermal decomposition, 1065
Thermal decomposition kinetics, 931
Thermal degradation, 2061
Thermal diffusion coefficient, 887
Thermal field-flow fractionation (TFFF), 887
Thermal oxidative degradation, 1229
Thermal stability, 1685, 1719, 1763, 1823, 2159
Thermal stabilizers, 1517, 1521
Thermodynamics, 2049
Thermogravimetric analysis, 1881
Thermogravimetric analysis (TGA), 1763
Thermomechanical deformation, 1035
Thermomechanical properties, 501
Thermoplastic RRIM composite, 1213
Thermotropic liquid crystalline behaviors, 2153
Thin films, 147
Thiol, 579
Time–temperature superposition principle, 893
Titanium dioxide, and esterification, 765
Transition-metal coordination, 1661
Transport, of uranyl ions, 285
Transport properties, 819
Triblock copolymers, 2049
TRIM-based gels, 1995
Two-component emulsion, 1055

Ultraviolet (UV) spectroscopy, 461
Universal calibration method, 887
Unsaturated copolyesters, 1727
Unsaturated polyester resin curing, 227
Uranium recovery, 837
Uranyl ion transport, 285
UV-radiation-induced graft copolymerization, 1341

VDC–BMA emulsion polymerization, 2207
VDC–BMA latexes, 2207
Vibration damping properties, 893
Vinyl acetate (VA) polymerization, 1537
Viscoelasticity, wool fibers, 253
Viscometers, 1623
Viscosity, 1127, 1635
Visible spectroscopy (VS), 1
Volatile transition metal compounds, 135
Vulcanization, 755, 1517, 1545
Vulcanization systems, 749
Vulcanized polyethylene, 1517

Water absorption reduction, 2079
Water sorption, 17, 1557
Water-absorbent resin, 1611
Water-absorptive cellulose graft copolymers, 805
Water-soluble polymeric flocculants, 349
Weatherability, 2159
Weathering, artificial, 1049
—, natural, 1049
Weight-loss kinetics, 2091
Whisker–PVC composites, 553
Wholly aromatic polyamides, 1983
Williams–Landel–Ferry (WLF) equation, 901
Wood, 167
Wood plastic composite (WPC), 167
Wood sawdust, and MMA, 425
Wool fibers, 253, 1823, 2199

X-ray diffraction, 1239
X-ray radiation, 669

Zein protein, thermal behavior, 2043

Journal of Applied Polymer Science

Author Index to Volume 45

Abd El-Hakim, A. A. See Badran, A. S., 333
Abe, S. See Egawa, H., 837
Abo-Hashem, A.
DC Conduction in Butyl Rubber (IIR) Loaded with Carbon Black, 1733
Adams, M. E. See Barandiaran, M. J., 2187
Agari, Y.
—; Ueda, A.; Nagai, S.: Thermal Conductivity of Polyethylene/Polystyrene Blends Containing SEBS Block Copolymer, 1957
Aharoni, S. M.
The Solubility Parameters of Aromatic Polyamides, 813
Ahmad, M. U. See Khan, M. A., 2113
Ahn, K. J.
—; Peterson, L.; Seferis, J. C.; Nowacki, D.; Zachmann, H. G.: Prepreg Aging in Relation to Tack, 399
Airu, X. See Nishino, T., 1239
Ait-Kadi, A. See Wang, Q., 1023
Ajayaghosh, A.
—; Das, S.: Photografting of Acrylic Monomers on Polystyrene Support, 1617
Aklonis, J. J. See Olah, G. A., 1355
Ali, K. M. I. See Khan, M. A., 167, 2113
Almeida, R. F. See Fitzgerald, E. A., 363
Al-Raheil, I. A. See Al-Salah, H. A., 1661
Al-Salah, H. A.
—; Al-Raheil, I. A.: Transition-Metal Coordination for Complexing Poly-(vinyl chloride)–Polyurethane Blends, 1661
Altun, E. See Yagči, Y., 375
Alvarez, C.
—; Bertorello, H.; Strumia, M.: Application of Poly(butadiene-*co*-acrylic acid)-Sucrose as Gel in the Separation of Different Substances, 25
Amano, M. See Nakamura, S., 265
Amdouni, N.
—; Sautereau, H.; Gerard, J. F.: Epoxy Composites Based on Glass Beads. I. Viscoelastic Properties, 1799
Aminabhavi, T. M. See Khinnavar, R. S., 1107
Andrady, A. L. See Nakatsuka, S., 1881
Andreopoulos, A. G.
Preparation of Hydrophilic Polymer Networks by Post-Curing Reaction, 1005
Arai, K.
—; Satoh, H.: Liquid Crystalline Phase-Formation Behavior of Cellulose Cinnamate, 387
Arevalo, A. R. See Fritzsche, A. K., 1945
Asua, J. M. See Barandiaran, M. J., 2187
Atalla, R. H. See Hasegawa, M., 1873
Ateia, E. See Hassan, H. H., 557
Athalye, A. R. See Shukla, S. R., 1341
Audouin, L.
—; Dalle, B.; Metzger, G.; Verdu, J.: Thermal Aging of Plasticized PVC. I. Weight Loss Kinetics in the PVC–Didecylphtalate System, 2091
—; Dalle, B.; Metzger, G.; Verdu, J.: Thermal Aging of Plasticized PVC. II. Effect of Plasticizer Loss on Electrical and Mechanical Properties, 2097
Auerbach, S. See Merkle, G., 407
Avadhani, C. V.
—; Wadgaonkar, P. P.; Vernekar, S. P.: Synthesis and Characterization of Formal-Group-Containing Diisocyanates and Polyimides Therefrom, 1335
Ayoub, M. M. H. See Badran, A. S., 333
Ayyangar, N. R. See Bahulekar, R. V., 279
Azuma, I. See Okubo, M., 245

Baddour, R. F. See Rein, D. H., 1223
Badr, S. K. See Essawy, S. A., 1727
Badran, A. S.
—; Abd El-Hakim, A. A.; Ayoub, M. M. H.; Younan, A. F.: Polymerization of Methyl Methacrylate in Water and Water–Ethylene Glycol Mixtures, 333
Bagley, E. B. See Yoon, K. J., 1093
Bahulekar, R. V.
—; Ponrathnam, S.; Ayyangar, N. R.; Kumar, K. K.; Shewale, J. G.: Effect of Microenvironment of Oxirane Groups on the Immobilization of Penicillin G Acylase, 279
Banker, V. S. See Rajagopalan, N., 909
Bantjes, A. See Chen, G., 853
Bao, J. See Wang, Y., 1641

Barandiaran, M. J.
—; Adams, M. E.; De La Cal, J. C.; Sudol, E. D.; Asua, J. M.: New Approach for the Estimation of Kinetic Parameters in Emulsion Polymerization Systems. II. Homopolymerization under Conditions where $\bar{n} < 0.5$, 2187
Barnett, S. M. See Shah, C. B., 293
Baysal, B. M. See Yagči, Y., 375
Bechev, C. D.
—; Mishinev, J. T.: Structural Changes in Draw-Textured Poly(ethylene terephthalate) Filaments during Heat-Setting, 29
Beck, H. N.
Solubility Characteristics of Poly(Etheretherketone) and Poly(Phenylene Sulfide), 1361
Bentur, A. See Stav, E., 2079
Berman, M. R.
Excimer Laser Darkening of ETFE Polymer Films, 111
Bernstein, H. See Mathiowitz, E., 125
Bertorello, H. See Alvarez, C., 25
Best, M. E.
—; Moylan, C. R.: Diffusion of Water into a Photopolymer Film, 17
Beumel, L. L. See Capps, R. N., 1175
Bhaskar, C. See Rajagopalan, N., 909
Bhowmick, A. K. See Kumar, N. R., 937
Biswas, M. See Mitra, P., 1685
Blanch, H. W. See Chou, L. Y., 1411
Blevins, R. See Mourey, T. H., 1983
Bryan, T. G. See Mourey, T. H., 1983
Burchard, W. See Merkle, G., 407
Burma, S. P. N. S. See Senapati, M., 521
Buschle-Diller, G.
—; Zeronian, S. H.: Enhancing the Reactivity and Strength of Cotton Fibers, 967

Cai, M. See Zhao, Q., 1101
Canché-Escamilla, G. See Vázquez-Torres, H., 633, 645
Cao, J.
Studies on the Mechanism of the Instability of Polymers in Tensile Testing, 2169
Capps, R. N.
—; Stack, G. M.; Samuels, M. Q.; Beumel, L. L.: Dielectric and Viscoelastic Properties of Some Meta-Tetramethyl Xylene Diisocyanate-Based Polyurethanes as a Function of Sample Composition, 1175
Carciello, N. R. See Sugama, T., 1291
Carr, M. E. See Yoon, K. J., 1093
Cataldo, F.
Chlorination and Bromination of Epoxidized Natural Rubber (ENR), 1705
Chang, S.-J.
—; Tsai, H.-B.: Effect of Salts on the Formation of THF in Preparation of PBT by TPA Process (Note), 371
Chang, T.-C. See Yen, C.-C., 2057
Chang, W. V. See Kakavas, P. A., 865
Chang, W.-C. See Chen, K.-M., 947
Chen, G.
—; Van Der Does, L.; Bantjes, A.: Investigations on Vinylene Carbonate. IV. Radiation Induced Graft Copolymerization of Vinylene Carbonate and N-Vinyl-N-Methylacetamide onto Polyethylene Films, 853
Chen, H.-C. See Chou, S., 683, 695
Chen, J.
—; Huang, Y.; Yuan, J.; Yan, S.; Ye, H.: Thermotropic Liquid Crystalline Behaviors of Ethylcellulose, 2153
Chen, J.-H.
—; Ruckenstein, E.: Generation of Porous Polymer Surfaces by Solvent–Nonsolvent Treatment, 377
Chen, K.-M.
—; Ho, S.-M.; Wang, T.-H.; King, J.-S.; Chang, W.-C.; Cheng, R. P.; Hung, A.: Studies on the Adhesion of Polyimide Coatings on Copper Foil, 947
—; See Pan, J.-P., 103
Chen, R. See Ding, J., 1087
Chen, X. See Gao, Y., 887
Chen, Y. C.
—; Dimonie, V.; El-Aasser, M. S.: Role of Surfactant in Composite Latex Particle Morphology, 487
Chen, Y.-H. See Yang, C.-P., 1055
Chen, Z. See Wang, X., 993
Cheng, H. See Xia, P., 579
Cheng, R. See Ding, J., 987
Cheng, R. P. See Chen, K.-M., 947
Cheng, S. See Xu, X., 1145
Cheng, T. W.
—; Keskkula, H.; Paul, D. R.: Effect of Melt Annealing on the Morphology and Properties of Polycarbonate Blends, 1245
—; Keskkula, H.; Paul, D. R.: Thermal Aging of Impact-Modified Polycarbonate, 531
Cho, H. H. See Moon, C. K., 443
Cho, W. J. See Ha, C. S., 2159
Choi, S. H. See Park, Y. H., 843
Choi, S. K. See Ha, C. S., 2159
Chou, L. Y.
—; Blanch, H. W.; Prausnitz, J. M.: Buffer Effects on Aqueous Swelling Kinetics of Polyelectrolyte Gels, 1411

Chou, S.
—; Chen, H.-C.; Lee, K.-S.: Effects of the Organometallic Coupling Agents on Adhesion of the Carbon Fiber–BMI Composites, 683
—; Chen, H.-C.; Lee, K.-S.: Studies of the Effects of the Organometallic Coupling Agents on Adhesion of the Glass Fiber–BMI Composites, 695
Chu, Y. Z.
—; Durning, C. J.: Application of the Blister Test to the Study of Polymer–Polymer Adhesion, 1151
Clymer, S. D.
—; Morosoff, N. C.; Crumbliss, A. L.: Triallylphosphine Plasma Polymerization and Reaction of the Product with Volatile Transition Metal Compounds, 135
—; See Morosoff, N. C., 147
Cohen, R. E. See Rein, D. H., 1223
Coleman, B. D.
—; Newman, D. C.: Rheology of Neck Formation in the Cold Drawing of Polymeric Fibers, 997
Collins, M. J.
—; Zeronian, S. H.: The Molecular Weight Distribution and Oligomers of Sodium Hydroxide Hydrolyzed Poly(ethylene terephthalate), 797
Conner, A. H. See Lin, C.-H., 1811
Connolly, A. F. See Fritzsche, A. K., 1945
Crumbliss, A. L. See Clymer, S. D., 135; Morosoff, N. C., 147
Cruz-Ramos, C. A. See Vázquez-Torres, H., 633, 645

Daer, K. M.
—; Levendis, Y. A.: Preparation of Monodisperse Carbonaceous Particles with Micro-, Meso-, and Macroporous Structures, 2061
Dais, V. A. See Warner, S. L., 461
Dalle, B. See Audouin, L., 2091; 2097
Danner, R. P. See Romdhane, I. H., 2049
Darwish, K. A. See Hassan, H. H., 557
Das, S. See Ajayaghosh, A., 1617
Dayal, U.
Determination of Mark–Houwink Constants for Polystyrene and Polyacrylonitrile Terpolymers, 119
De La Cal, J. C. See Barandiaran, M. J., 2187
de Petris, S. See Dobáš, I., 923
De, S. K. See Mukhopadhyay, S., 181
De Weijer, A. P. See Heuvel, H. M., 1649
Deb, P. C. See Mathew, A., 2145
DeMartino, R. N. See Kuder, J. E., 583
Desai, M. R. See Pandya, M. V., 663
Desio, G. P.
—; Rebenfeld, L.: Crystallization of Fiber-Reinforced Poly(phenylene sulfide) Composites. II. Modeling the Crystallization Kinetics, 2005
Dharia, J. R. See Rajagopalan, N., 909
Dimonie, V. See Chen, Y. C., 487
Dimov, A. See Islam, M. A., 1035
Ding, J.
—; Xue, G.; Cheng, R.: Dynamic Analysis of Flat-Spring Supported Polymers, 987
—; Xue, G.; Yang, C.; Chen, R.: Dynamic Mechanical Analysis of Sulfonated Polyurethane Ionomers, 1087
Dobáš, I.
—; Luňák, S.; Zelenka, J.; Horálek, J.; Špaček, V.; de Petris, S.: Epoxy Resins Based on Aromatic Glycidylamines. VI. Toughening of *N,N,N′,N′*-Tetraglycidyl-4,4′-diaminodiphenylmethane by Reactive Additives, 923
Dong, F. See Roha, M., 1383, 1397
Dor, P. See Mathiowitz, E., 125
Duan, M.-L. See Tian, R.-C., 591
Durning, C. J. See Chu, Y. Z., 1151

Ebi, G. C.
—; Kolawole, E. G.: Some Aspects of Stabilization and Degradation of Nigerian Natural Rubber (II): The Environmental Degradation of DBHBT-Modified Unprocessed, Unvulcanized Nigerian Natural Rubber, 2239
Edelstein, D. See Eyal, A. M., 1065
Egawa, H.
—; Nonaka, T.; Abe, S.; Nakayama, M.: Recovery of Uranium from Seawater. X. Pore Structure and Uranium Adsorption of Macroreticular Chelating Resin Containing Amidoxime Groups, 837
—; See Maeda, H., 173; Nonaka, T., 285
Eguiazábal, J. I. See Martínez, J. M., 1135
El-Aasser, M. S. See Chen, Y. C., 487; Lee, K. C., 2207, 2221
Elangovan, V. J.
—; Saccubai, S.: Thermal Properties of Wool-*g*-Poly(Methyl Methacrylate) Copolymers, 1823

El-Awady, M. M.
Effect of Wood Sawdust on the Aqueous Polymerization of Methyl Methacrylate, 425
El-Guiziri, S. B. See Hassan, H. H., 557
Elings, V. See Fritzsche, A. K., 1945
El-Sawy, A. A. See Essawy, S. A., 1727
Epstein, M.
—; Shishoo, R. L.: A New Process for Fabricating Nonwoven Fibrous-Reinforced Elastomer Composites, 1693
Errede, L. A.
Polymer Swelling, 13: Correlation of Flory–Huggins Interaction Parameter, χ, with Molecular Structure in Polystyrene–Liquid Systems, 619
Erro, R.
—; Gaztelumendi, M.; Nazabal, J.: Effects of Injection Temperature on the Mixing Level and Properties of Injection-Mixed PMMA–Phenoxy Blends, 339
Essawy, S. A.
—; El-Sawy, A. A.; Mahmoud, A. A.; Badr, S. K.: Synthesis and Characterization of Saturated and Unsaturated Copolyesters Based on Bis-1,4-(dicarboxymethoxy) Benzene, 1727
Eyal, A. M.
—; Hazan, B.; Hajdu, K.; Edelstein, D.: Premembranes for Porogen-Derived Membranes and Thermal Decomposition of Porogens, 1065

Fakhreddine, Y. A. See He, J., 745
Fang, M.-C. See Liu, J.-H., 1587
Farnia, A. M. F. See Olah, G. A., 1355
Farooq, O. See Olah, G. A., 1355
Feng, H. See Wang, Y., 1641
Filimonova, L. V. See Gorelova, M. M., 2075
Fitzgerald, E. A.
—; Tadros, S. P.; Almeida, R. F.; Sienko, G. A.; Honda, K.; Sarubbi, T.: Determination of Methylene Bridge Type of Mixed Meta- and Para-Cresol–Formaldehyde Novolaks by ^{13}C-NMR Spectroscopy, 363
Flaris, V.
—; Stachurski, Z. H.: The Mechanical Behavior of Blends of Polyethylene, Polypropylene, and an Ethylene–Propylene Block Copolymer at −20°C, 1789
Flodin, P. See Schmid, A., 1995
Forte, R.
—; Leblanc, J. L.: New Results on the Kinetic Aspect of the Permeation Resistance of Elastomers, Using an Original Testing Cell and Methanol as Model Permeating Fluid, 1473
Freddi, G. See Tsukada, M., 1189, 1719
Fritzsche, A. K.
—; Arevalo, A. R.; Connolly, A. F.; Moore, M. D.; Elings, V.; Wu, C. M.: The Structure and Morphology of the Skin of Polyethersulfone Ultrafiltration Membranes: A Comparative Atomic Force Microscope and Scanning Electron Microscope Study, 1945
Fujii, N. See Kobayashi, T., 1897
Fukatsu, K.
Mechanical Properties of Poly(ethylene terephthalate) Fibers Imparted Hydrophilicity with Aminolysis, 2037
Fullerton, K. L. See Rengarajan, R., 317

Galego, N.
—; Vazquez, A.; Riccardi, C. C.; Williams, R. J. J.: Citric Acid–Diethylenetriamine Salts as Latent Curing Agents for Epoxy Resins, 607
Gan, S. See Samaraweera, U., 1903
Gao, J. See Huang, Y., 71
Gao, J.-P. See Tian, R.-C., 591
Gao, Y.
—; Chen, X.: Universal Calibration for Thermal Field-Flow Fractionation, 887
Garton, A. See Wang, S., 1743
Gatenholm, P.
—; Kubát, J.; Mathiasson, A.: Biodegradable Natural Composites. I. Processing and Properties, 1667
Gaztelumendi, M. See Erro, R., 339
Genevaux, J. M.
—; Guerrin, G. M.: Following of the Relaxations in a Polymer's Behavior Part I: "Correlation Diagram" and Creep at Linearly Increasing Temperature, 1431
—; See Guerrin, G. M., 1441
Gerard, J. F. See Amdouni, N., 1799
German, A. L. See Van Doremaele, G. H. J., 957
Giannos, S. See Mathiowitz, E., 125
Gillham, J. K. See Venditti, R. A., 501, 1501; See Wang, X., 2127
Glaser, D. M. See Jacobine, A. F., 471
Goñi, I.
—; Gurruchaga, M.; Vazquez, B.; Valero, M.; Guzman, G. M.: Synthesis of Graft Copolymers of Acrylic Monomers onto Amylose. II. Study of the Ceric Ion Behavior, 981

Gonsalves, K. E.
—; Patel, S. H.; Trivedi, D. H.: Development of Potentially Degradable Materials for Marine Applications. III. Polyethylene-Polyethylene Oxide Blends, 217
Gopala Rao, G. V. See Shukla, S. R., 1341
Gorelova, M. M.
—; Pertsin, A. J.; Levin, V. Y.; Makarova, L. I.; Filimonova, L. V.: Surface Behavior of Blends of Siloxane and Siloxane-Containing Copolymers in Poly(vinyl chloride), 2075
—; See Pertsin, A. J., 1195
Goto, Y. See Tsukada, M., 1189, 1719
Grabek, P. J. See Jacobine, A. F., 471
Gravalos, K. G. See Sotiropoulou, D. D., 273
Gray, D. G. See Kondo, T., 417
Gu, W. See Wang, X., 993
Guerrin, G. M.
—; Genevaux, J. M.: Following the Relaxations in a Polymer's Behavior Part II: Characterization by Quasistatic and Dynamic Forced Bending, 1441
—; See Genevaux, J. M., 1431
Guistina, R. A. See Mourey, T. H., 1983
Gupta, A. K.
—; Ratnam, B. K.; Srinivasan, K. R.: Impact Toughening of Polypropylene by Ethylene Vinyl Acetate Copolymer, 1303
Gupta, B. R. See Kumar, N. R., 937
Gupta, S. K. See Kaushik, A., 507
Gupta, V. B.
—; Rao, D. R.: Stress Relaxation Studies on Wool Fibers, 253
Gurruchaga, M. See Goñi, I., 981
Guzman, G. M. See Goñi, I., 981
Ha, C. S.
—; Choi, S. K.; Lim, D. S.; Cho, W. J.: Synthesis and Properties of Acrylonitrile-CR-Methyl Methacrylate Graft Copolymer, 2159
Haddock, T. H. See Kenney, J. F., 355
Hadjichristidis, N. See Liouni, M., 2199
Haga, T. See Mori, R., 1869
Hagiopol, C. See Memetea, T., 1229
Hajdu, K. See Eyal, A. M., 1065
Hamann, B. See Schellenberg, J., 79, 1425
Han, M. H. See Park, Y. H., 1973
Harland, R. S.
—; Peppas, N. A.: Swelling Equations for Confined Homogeneous and Heterogeneous Polymeric Networks: Calculation of $\bar{M}_c$ in Swellable Two-Phase Systems, 2121
Hasegawa, M.
—; Isogai, A.; Onabe, F.; Usuda, M.: Dissolving States of Cellulose and Chitosan in Trifluoroacetic Acid, 1857
—; Isogai, A.; Onabe, F.; Usuda, M.; Atalla, R. H.: Characterization of Cellulose-Chitosan Blend Films, 1873
Hassan, H. H.
—; Khairy, S. A.; Nasr, G. M.; Darwish, K. A.; El-Guiziri, S. B.; Ateia, E.: Influence of Static and Cyclic Compression on the Electrical Conductivity of FEF Black-Loaded Rubbers (Note), 557
Hattori, H. See Okubo, M., 245
Hayashi, S. See Hirai, T., 1849
Hazan, B. See Eyal, A. M., 1065
He, J.
—; Fakhreddine, Y. A.; Zoller, P.: Maintaining Hydrostatic Conditions During Solidification of Polymers in a High-Pressure Dilatometer (Note), 745
He, S. See Huang, Y., 71
Heuvel, H. M.
—; Lucas, L. J.; Van Den Heuvel, C. J. M.; De Weijer, A. P.: Experimental Relations between Physical Structure and Mechanical Properties of a Huge Number of Drawn Poly(ethylene terephthalate) Yarns, 1649
Higasida, R. See Yamaguchi, H., 1463
Higuchi, M. See Yamaguchi, H., 1455, 1463
Hill, C. G. Jr. See Lin, C.-H., 1811
Hinojosa, L. Jr. See Levy, L. B., 1537
Hirabayashi, K. See Liang, C. X., 1937
Hirai, A. See Tsuji, W., 299
Hirai, T.
—; Maruyama, H.; Suzuki, T.; Hayashi, S.: Shape Memorizing Properties of a Hydrogel of Poly(vinyl Alcohol), 1849
Hiraoka, H. See Iijima, T., 709
Ho, S.-M. See Chen, K.-M., 947
Honda, K. See Fitzgerald, E. A., 363
Horálek, J. See Dobáš, I., 923
Horii, F. See Tsuji, W., 299
Hosseini, S. M.
—; Stolarski, T. A.: Morphology of Polymer Wear Debris Resulting from Different Contact Conditions, 2021
Hou, W.-H.
—; Lloyd, T. B.: A New Technique for Preparing Monodisperse Polymer Particles, 1783
Hourston, D. J.
—; Huson, M. G.: Semi- and Fully Interpenetrating Polymer Networks Based on Polyurethane–Polyacrylate Systems. XI. The Influence of

Polymerization Temperature on Morphology and Properties, 1753
Howell, B. A. See Warner, S. L., 461
Hsu, T.-C. J. See Liao, F.-S., 893
Hu, P. P. See Qian, B. J., 871
Huang, Y.
—; Zhao, B.; Zheng, G.; He, S.; Gao, J.: Graft Copolymerization of Methyl Methacrylate on Stone Ground Wood Using the H_2O_2——Fe^{2+} Method, 71
—; See Chen, J., 2153
Hung, A. See Chen, K.-M., 947
Huson, M. G. See Hourston, D. J., 1753
Hwang, S. See Romdhane, I. H., 2049

Idage, B. B. See Idage, S. B., 931
Idage, S. B.
—; Idage, B. B.; Vernekar, S. P.: Thermal Decomposition Kinetics of Azobisnitriles Containing Functional End Groups (Note), 931
Ihm, S.-K. See Myeong, W.-J., 1777
Iijima, T.
—; Hiraoka, H.; Tomoi, M.: Preparation of Epoxy-Terminated Poly(Aryl Ether Sulfone)s and Their Use as Modifiers for Epoxy Resins, 709
—; See McGregor, R., 1011
Im, S. S.
—; Lee, J. S.; Kang, E. Y.: Preparation and Electrical Properties of Metal Sulfides–Amidoximated PAN Composite Film, 827
Inagaki, N.
—; Tasaka, S.; Nozue, Y.: Plasma Polymerization of Metal Acetylacetonates and Application for Gas Sensor Devices, 1041
Ishikawa, H. See Tsukada, M., 1719
Islam, M. A.
—; Dimov, A.: On the Mechanism of the Formation of Porous Structure in Filled Polyethylene Film by Thermomechanical Deformation, 1035
—; Nikolov, N. D.: Response of Filled Polyethylene Membranes to the Changes in the Environmental Conditions, 1485
Ismail, M. N. See Younan, A. F., 1967
Isogai, A. See Hasegawa, M., 1857, 1873
Iyer, V. See Lokhande, H. T., 2031

Jacobine, A. F.
—; Glaser, D. M.; Grabek, P. J.; Mancini, D.; Masterson, M.; Nakos, S. T.; Rakas, M. A.; Woods, J. G.: Photocrosslinked Norbornene–Thiol Copolymers: Synthesis, Mechanical Properties, and Cure Studies, 471
James, W. J. See Koelling, A., 669
Jayabalan, M. See Sreenivasan, K., 2105
Jones, F. N. See Samaraweera, U., 1903
Jones, R. A.
—; Orchard, G. A. J.; Ward, I. M.: A Study of the Transport Properties of Acetylene through a Highly Oriented Polyethylene Fiber, 819
Joshi, M.
—; Maiti, S. N.; Misra, A.: Poly(butylene Terephthalate)/High Density Polyethylene Alloys. II. Mechanical Properties and Rheology, 1837

Kabeel, M. A. See Sokkar, T. Z. N., 723
Kaito, A.
—; Nakayama, K.; Zubaidi: Structure Formation in Stretched Sheets of Poly(butylene Terephthalate), 1203
Kakavas, P. A.
—; Chang, W. V.: Acoustic Emission in Bonded Elastomer Discs Subjected to Compression. I, 865
Kale, R. P. See Kulkarni, N. V., 915
Kale, V. See Vedanayagam, H. S., 2245
Kalenda, P.
Diffusion of Acids into Epoxy Resin Compositions, 2235
Kalfoglou, N. K. See Sotiropoulou, D. D., 273
Kaliaguine, S. See Wang, Q., 1023
Kambara, H. See Nakatsuko, T., 553
Kang, E. Y. See Im, S. S., 827
Karasawa, M. See Suto, S., 1569
Karger-Kocsis, J.
Instrumented Impact Testing of a Glass Swirl Mat-Reinforced Reaction Injection-Molded Polyamide Block Copolymer (NBC), 1595
Karvounis, S. See Liouni, M., 2199
Kaushik, A.
—; Gupta, S. K.: A Molecular Model for Solid-State Polymerization of Nylon 6, 507
Kenney, J. F.
—; Haddock, T. H.; Sun, R. L.; Parreira, H. C.: Medical-Grade Acrylic Adhesives for Skin Contact, 355
Kesavan, S. K. See Rengarajan, R., 317
Keskkula, H. See Cheng, T. W., 531, 1245; Park, I., 1313
Khairy, S. A. See Hassan, H. H., 557
Khan, M. A.
—; Ali, K. M. I.: Studies of

Physico–Mechanical Properties of Wood and Wood Plastic Composite (WPC), 167
—; Ali, K. M. I.; Ahmad, M. U.: Radiation-Induced Wood Plastic Composites under Combinations of Monomers, 2113
Khilar, K. C. See Kulkarni, N. V., 915; Rajagopalan, N., 909
Khinnavar, R. S.
—; Aminabhavi, T. M.: Resistance of Barrier Elastomers to Hazardous Organic Liquids, 1107
Kim, J. H.
—; Kim, J. Y.; Lee, Y. M.; Kim, K. Y.: Properties and Swelling Characteristics of Cross-linked Poly(vinyl alcohol)/Chitosan Blend Membrane, 1711
Kim, J. Y. See Kim, J. H., 1711
Kim, K. S. See Moon, C. K., 443
Kim, K. Y. See Kim, J. H., 1711
King, J.-S. See Chen, K.-M., 947
Kinkelaar, M.
—; Lee, L. J.: Development of a Dilatometer and Its Application to Low-Shrink Unsaturated Polyester Resins, 37
Kitoh, S.
—; Suzuki, K.; Kiyohara, T.; Kurita, K.: Adhesive Monomers to Dental Ceramics. I. Evaluation of *N*-Substituted 3-Amino-2-Hydroxypropyl Methacrylates as Adhesives for Calcium Metaphosphate Crystalline Glass-Ceramic, 1329
Kiyohara, T. See Kitoh, S., 1329
Kiyota, H. See Tamai, H., 85
Kobayashi, T.
—; Fujii, N.: Preparation and Properties of Negatively Charged Ultrafiltration Membrane: Photografted Sodium Styrene Sulfonate onto Brominated Polyacrylonitrile Membrane, 1897
Koelling, A.
—; Surendran, G.; James, W. J.: Synthesis and Characterization of Polyimidothioethers, 669
Kohn, D. H. See Stav, E., 2079
Kohno, H. See Okaya, T., 1127
Koike, T.
Determination of Glass Transition Temperature from Dielectric Analysis for a Series of Epoxide Oligomers, 901
Koizumi, M. See Sada, E., 2181
Kokta, B. V. See Raj, R. G., 91
Kolawole, E. G. See Ebi, G. C., 2239
Kondo, T.
—; Gray, D. G.: Facile Method for the Preparation of Tri-*O*-(Alkyl) Cellulose, 417
Kosaka, M. See Suto, S., 1623
Kruger, F. W. H.
—; McGill, W. J.: A Study of Curative Interactions in *cis*-1,4-Polyisoprene. IX. The Role of ZnO in Thiuram-Based Vulcanization Systems, 749
—; McGill, W. J.: A Study of Curative Interactions in *Cis*-1,4-Polyisoprene. VIII. Network Maturing Reactions in the *Cis*-1,4-Polyisoprene/Tetramethylthiuram Disulfide/ZnO System, 573
—; McGill, W. J.: A Study of Curative Interactions in *cis*-1,4-Polyisoprene. X. The *cis*-1,4-Polyisoprene/Sulfur/Zinc Dimethyldithiocarbamate and *cis*-1,4-Polyisoprene/Sulfur/Zinc Dimethyldithiocarbamate/ZnO Systems, 755
—; McGill, W. J.: Study of Curative Interactions in *Cis*-1,4-Polyisoprene (IR). VII. The *Cis*-1,4-Polyisoprene–Tetramethylthiuram Disulfide–ZnO System, 563
—; McGill, W. J.: Study of Curative Interactions in *cis*-1,4-Polyisoprene. XI. Network Maturing Reactions in the *cis*-1,4-Polyisoprene–Sulfur–Zinc Dimethyldithiocarbamate and *cis*-1,4-Polyisoprene–Sulfur–Zinc Dimethyldithiocarbamate–ZnO Systems, 1491
—; McGill, W. J.: Study of Curative Interactions in *cis*-1,4-Polyisoprene. XII. The *cis*-1,4-Polyisoprene–Sulfur–Tetramethylthiuram Disulphide–ZnO–Stearic Acid Vulcanization System, 1545
Kubát, J. See Gatenholm, P., 1667
Kubo, J.
Inhibition of Deterioration of Plastics by Hydroaromatics, 51
Kuder, J. E.
—; Yoon, H. N.; DeMartino, R. N.: Thermal Behavior and Laser Marking of a Novel Nematic Liquid Crystalline Polymer, 583
Kulkarni, N. V.
—; Rajagopalan, N.; Kale, R. P.; Khilar, K. C.: Starch Urea Formaldehyde Matrix Encapsulation of Solid Agrochemicals. II. Release Mechanism and Release Modeling, 915
Kumar, A. See Venkateshwaran, G., 187
Kumar, K. K. See Bahulekar, R. V., 279
Kumar, N. R.
—; Roy, S.; Gupta, B. R.; Bhowmick, A. K.: Structural Changes in Rubber During Milling, 937
Kumar, V. G. See Manjula, S., 309

Kumazawa, H. See Sada, E., 2181
Kuo, J.-C. See Liu, J.-H., 1587
Kuo, P.-L.
—; Ni, S.-C.; Lai, C.-C.: Functional Polymers for Colloidal Applications (III): Structural Effects of Lipophile-Modified Styrene-Maleic Anhydride Copolymers on Dispersing Polar and Nonpolar Particles, 611
Kurita, K. See Kitoh, S., 1329
Kurja, J. See Van Doremaele, G. H. J., 957
Kurnoskin, A. V.
Water Resistance of Metalliferous Epoxy Chelate Polymers, 1557
Kutsenko, M. A. See Malkin, A. YA., 237

Lai, C.-C. See Kuo, P.-L., 611
Langer, R. See Mathiowitz, E., 125
Leblanc, J. L. See Forte, R., 1473
Lee, J. S. See Im, S. S., 827
Lee, J.-O. See Moon, C. K., 443
Lee, K. C.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Batch and Semicontinuous Emulsion Copolymerization of Vinylidene Chloride and Butyl Methacrylate. I. Kinetics in VDC–BMA Emulsion Polymerization and Surface and Colloidal Properties of VDC–BMA Latexes, 2207
—; El-Aasser, M. S.; Vanderhoff, J. W.: Batch and Semicontinuous Emulsion Copolymerization of Vinylidene Chloride and Butyl Methacrylate. II. Physical and Mechanical Properties of Copolymer Latex Films, 2221
Lee, K.-R. See Liaw, D.-J., 61
Lee, K.-S. See Chou, S., 683, 695
Lee, L. J. See Kinkelaar, M., 37
Lee, L.-T. See Yang, C.-P., 1075
Lee, S. See Rengarajan, R., 317
Lee, Y. M. See Kim, J. H., 1711
Lei, Z. See Wang, Y., 1641
Lenka, S. See Nayak, P. L., 655
Levendis, Y. A. See Daer, K. M., 2061
Levin, V. Y. See Gorelova, M. M., 2075
Levin, V. YU. See Pertsin, A. J., 1195
Levy, L. B.
—; Hinojosa, L. Jr.: Effect of Oxygen on Vinyl Acetate Polymerization, 1537
Li, C. X. See Olah, G. A., 1355
Li, J. See Xu, X., 1145
Liang, C. X.
—; Hirabayashi, K.: Improvements of the Physical Properties of Fibroin Membranes with Sodium Alginate, 1937
Liao, F.-S.
—; Hsu, T.-C. J.: Prediction of Vibration Damping Properties of Polymer-Laminated Steel Sheet Using Time–Temperature Superposition Principle, 893
Liaw, D.-J.
—; Shiau, S.-J.; Lee, K.-R.: Dilute Solution Properties of Cationic Poly(dimethyl sulfate quaternized dimethylaminoethyl methacrylate), 61
Lim, D. S. See Ha, C. S., 2159
Lin, C.-H.
—; Conner, A. H.; Hill, C. G. Jr.: The Heterogeneous Character of the Dilute Acid Hydrolysis of Crystalline Cellulose. III. Kinetic and X-Ray Data, 1811
Lin, S.-S. See Pan, J.-P., 103
Lindner, A. See Merkle, G., 407
Liouni, M.
—; Touloupis, C.; Hadjichristidis, N.; Karvounis, S.; Varriano-Marston, E.: Graft Copolymerization of Methacrylates onto Wool Fibers, 2199
Liu, J.-H.
—; Kuo, J.-C.; Fang, M.-C.: Synthesis of Chiral Polymers Containing the Acetoxybornyl Group and Their Applications on the Asymmetric Induction, 1587
Liu, Q.
Preparation of Cationic Water-Absorbent Resin from PEI and PEO, 1611
Liu, X. See Zhao, Q., 1101
Lloyd, T. B. See Hou, W.-H., 1783
Lokhande, H. T.
—; Varadarajan, P. V.; Iyer, V.: Water-Superabsorbent Polymers through Gamma Radiation-Induced Graft-Copolymerization of Acrylonitrile on Guargum, 2031
Losev, Y. P.
—; Paushkin, Y. M.: High-Temperature Stabilization of Polyolefines with Hydroxides of Alkali Metals, 1521
—; Paushkin, Y. M.: Stabilization of Vulcanized Polyethylene, 1517
Lu, L. See Wang, X., 993
Lucas, L. J. See Heuvel, H. M., 1649
Luňák, S. See Dobáš, I., 923

Maeda, H.
—; Egawa, H.: Removal and Recovery of Nickel Ion in Sodium Citrate Solution with Chelating Resin Containing Triethylenetetramine Side Chain (Note), 173
Magoshi, J.
—; Nakamura, S.; Murakami, K.-I.: Structure and Physical Properties of Seed Proteins. I. Glass Transition and Crystallization of Zein Protein from Corn, 2043

Mahmoud, A. A. See Essawy, S. A., 1727
Maiti, S. N. See Joshi, M., 1837
Makarova, L. I. See Gorelova, M. M., 2075; Pertsin, A. J., 1195
Malkin, A. YA.
—; Teishev, A. E.; Kutsenko, M. A.: Creep of Polycarbonate: Experiments and Correlation with Relaxation, 237
Mancini, D. See Jacobine, A. F., 471
Manjula, S.
—; Kumar, V. G.; Pillai, C. K. S.: Kinetics and Mechanism of Oligomerization of Cardanol Using Acid Catalysts, 309
Marcinko, J. J.
—; Parker, A. A.; Shieh, Y. T.; Ritchey, W. M.: Correlations Involving Modulae and Cross-Polarization Time Constants for a Series of Polyurethane Elastomers, 391
Mark, J. E. See Sohoni, G. B., 1763
Martínez, J. M.
—; Eguiazábal, J. I.; Nazábal, J.: Phase Behavior and Mechanical Properties of Injection Molded Poly(Ethylene Terephthalate)/Polyarylate Blends, 1135
Maruyama, H. See Hirai, T., 1849; Okaya, T., 1127
Maryam, G. See Pandya, M. V., 663
Masterson, M. See Jacobine, A. F., 471
Mathew, A.
—; Deb, P. C.: Studies on Semi-interpenetrating Polymer Networks from Poly(vinyl chloride-*co*-vinyl acetate) and Poly(butyl acrylate), 2145
Mathiasson, A. See Gatenholm, P., 1667
Mathiowitz, E.
—; Bernstein, H.; Giannos, S.; Dor, P.; Turek, T.; Langer, R.: Polyanhydride Microspheres. IV. Morphology and Characterization of Systems Made by Spray Drying, 125
Matsumoto, A. See Otsu, T., 1889
Matsumoto, K. See Nishino, T., 1239
Matsumoto, T. See Nakamura, Y., 1281; Nishino, T., 1239
McGill, W. J. See Kruger, F. W. H., 563, 573, 749, 755, 1491, 1545
McGregor, R.
—; Iijima, T.: Dimensionless Groups for the Sorption of Dye and Other Ions by Polymers. II. Hydrochloric Acid, C. I. Acid Blue 25, and Polyamides with an Excess of Basic Groups, 1011
Memetea, T.
—; Vuluga, Z.; Hagiopol, C.: The Thermo–Oxidative Degradation of Acrylonitrile–Butadiene–Styrene Copolymers during Processing as Studied by Chemiluminescence, 1229
Merkle, G.
—; Auerbach, S.; Burchard, W.; Lindner, A.; Wegener, G.: Light Scattering of Acetylated Lignin, 407
Metzger, G. See Audouin, L., 2091, 2097
Mishinev, J. T. See Bechev, C. D., 29
Misra, A. See Joshi, M., 1837
Mitra, P.
—; Biswas, M.: Synthesis and Thermal Stability, Dielectric, and Conductivity Characteristics of Some Carbazole-Bearing Pendant and Backbone Sulfones, 1685
Miyata, S. See Park, Y. H., 843
Mizutani, Y. See Nagō, S., 1527
Moon, C. K.
—; Lee, J.-O.; Cho, H. H.; Kim, K. S.: Effect of Diameter and Surface Treatment of Fiber on Interfacial Shear Strength in Glass Fiber/Epoxy and HDPE, 443
Moore, M. D. See Fritzsche, A. K., 1945
Mori, R.
—; Haga, T.; Takagishi, T.: Relationship between Cellulase Treatment and Direct Dye Dyeing for Cotton (Note), 1869
Morikawa, M. See Nonaka, T., 285
Morita, M. See Yoshinobu, M., 805
Mork, C. O.
—; Priddy, D. B.: Facile Measurement of Phenolic End-Groups in Bisphenol-A Polycarbonate Using GPC-UV Analysis, 435
Morosoff, N. C.
—; Clymer, S. D.; Crumbliss, A. L.: Preparation of a Plasma Polymer Containing Phosphine Complexed Nickel by Concurrent Nickel Evaporation, 147
—; See Clymer, S. D., 135
Mostert, H. A. M. See Winter, H., 451
Mourey, T. H.
—; Guistina, R. A.; Bryan, T. G.; Thornbury, R. F.; Blevins, R.; Perry, R. J.; Turner, S. R.: *N*-Methylation of Wholly Aromatic Polyamides for Size-Exclusion Chromatography, 1983
Moylan, C. R. See Best, M. E., 17
Mukhopadhyay, S.
—; De, S. K.: Self-Vulcanizable Rubber Blend System Based on Neoprene and Carboxylated Nitrile Rubber (Note), 181
Murakami, K.-I. See Magoshi, J., 2043

Myeong, W.-J.
—; Ihm, S.-K.: Effect of Acid–Base Interaction on the Sorption Characteristics of Liquids in Poly(vinylidene fluoride), 1777

Nagai, A. See Suzuki, M., 177
Nagai, S. See Agari, Y., 1957
Nagō, S.
—; Nakamura, S.; Mizutani, Y.: Structure of Microporous Polypropylene Sheets Containing $CaCO_3$ Filler, 1527
Nakamae, K. See Nishino, T., 1239
Nakamura, K. See Otsu, T., 1889
Nakamura, S.
—; Amano, M.; Saegusa, Y.; Sato, T.: Preparation of Aminoalkyl Celluloses and Their Adsorption and Desorption of Heavy Metal Ions, 265
—; See Magoshi, J., 2043; Nagō, S., 1527
Nakamura, Y.
—; Yamaguchi, M.; Okubo, M.; Matsumoto, T.: Effects of Particle Size on Mechanical and Impact Properties of Epoxy Resin Filled with Spherical Silica, 1281
Nakao, T. See Tsuji, W., 299
Nakatsuka, S.
—; Andrady, A. L.: Thermogravimetric Determination of Starch Content in Starch–Polyethylene Blend Films, 1881
Nakatsuko, T.
—; Kambara, H.: Grafting Poly(ethylenimine) on Aluminum–Boron Double Oxide Whisker and Its Effects on Whisker–PVC Composites (Note), 553
Nakayama, K. See Kaito, A., 1203
Nakayama, M. See Egawa, H., 837
Nakos, S. T. See Jacobine, A. F., 471
Narkis, M. See Rosenberg, Y., 783
Nasr, G. M. See Hassan, H. H., 557
Nayak, P. K. See Nayak, P. L., 655
Nayak, P. L.
—; Lenka, S.; Nayak, P. K.: Calculation of Reactivity Ratio of Resin Copolymers Derived from Substituted Acetophenones Using Kelen–Tüdos Equation, 655
—; See Senapati, M., 521
Nazabal, J. See Erro, R., 339
Nazábal, J. See Martínez, J. M., 1135
Newman, D. C. See Coleman, B. D., 997
Ni, S.-C. See Kuo, P.-L., 611
Nikolov, N. D. See Islam, M. A., 1485
Nishino, T.
—; Airu, X.; Matsumoto, T.; Matsumoto, K.; Nakamae, K.: Residual Stress in Particulate Epoxy Resin by X-Ray Diffraction, 1239
Nisizawa, M.
Radiation-Induced Sol–Gel Transition of Protein: Effects of Metal Ions on Flow and Melting Properties, 1865
Nizio, J. D. See Raj, R. G., 91
Nonaka, T.
—; Ogawa, H.; Morikawa, M.; Egawa, H.: Uphill and Selective Transport of Uranyl Ions through 2,3-Epithiopropyl Methacrylate-2-Acrylamide-2-Methyl Propane Sulfonic Acid Copolymer Membranes, 285
Nonaka, T. See Egawa, H., 837
Nowacki, D. See Ahn, K. J., 399
Nozue, Y. See Inagaki, N., 1041

Ogawa, H. See Nonaka, T., 285
Okaya, T.
—; Kohno, H.; Terada, K.; Sato, T.; Maruyama, H.; Yamauchi, J.: Specific Interaction of Starch and Polyvinyl Alcohols Having Long Alkyl Groups, 1127
Okubo, M.
—; Azuma, I.; Hattori, H.: Preferential Adsorption of Bovine Fibrinogen Dimer onto Polymer Microspheres Having Heterogeneous Surfaces Consisting of Hydrophobic and Hydrophilic Parts, 245
—; See Nakamura, Y., 1281
Olah, G. A.
—; Farooq, O.; Li, C. X.; Farnia, A. M. F.; Aklonis, J. J.: Cationic Ring-Opening Polymerization of Tetrahydrofuran with Boron, Aluminum, and Gallium Tristriflate, 1355
Onabe, F. See Hasegawa, M., 1857, 1873
Orchard, G. A. J. See Jones, R. A., 819
Osredkar, U. See Žigon, M., 597
Otaigbe, J. U.
Effect of Coupling Agent and Absorbed Moisture on the Tensile Properties of a Thermoplastic RRIM Composite, 1213
Otsu, T.
—; Matsumoto, A.; Nakamura, K.: Synthesis of Substituted Polymethylenes from Acenaphthylene by Radical Polymerization and Copolymerization, 1889

Pan, J.-P.
—; Shiau, G.-Y.; Lin, S.-S.; Chen, K.-M.: Effect of Barbituric Acid on the Self-Polymerization Reaction of Bismaleimides, 103
Pandya, M. V.
—; Maryam, G.; Desai, M. R.; Suresh Kumar, K.: Crystallinity and Isotactic Index of Polypropylene

Samples Prepared by $VOCl_3$ and Aluminum Alkyls, 663
Park, I.
—; Keskkula, H.; Paul, D. R.: Toughening of Polystyrene and Poly(phenylene oxide) Matrices with Elastomeric Styrene-Based Block Copolymers: Role of Molecular Architecture, 1313
Park, Y. H.
—; Choi, S. H.; Song, S. K.; Miyata, S.: Synthesis of Highly Conducting Nylon-6 Composites and Their Electrical Properties, 843
—; Han, M. H.: Preparation of Conducting Polyacrylonitrile Polypyrrole Composite Films by Electrochemical Synthesis and Their Electrical Properties, 1973
Parker, A. A. See Marcinko, J. J., 391
Parreira, H. C. See Kenney, J. F., 355
Patel, S. H. See Gonsalves, K. E., 217
Paul, D. R. See Cheng, T. W., 531, 1245; Park, I., 1313
Paushkin, Y. M. See Losev, Y. P., 1517, 1521
Peppas, N. A. See Harland, R. S., 2121
Perry, R. J. See Mourey, T. H., 1983
Pertsin, A. J.
—; Gorelova, M. M.; Levin, V. YU.; Makarova, L. I.: An XPS Study of the Surface–Bulk Compositional Differences in Siloxane-Containing Block Copolymers and Polymer Blends, 1195
Pertsin, A. J. See Gorelova, M. M., 2075
Peterson, L. See Ahn, K. J., 399
Pillai, C. K. S. See Manjula, S., 309
Plana, A. See Romdhane, I. H., 2049
Ponrathnam, S. See Bahulekar, R. V., 279
Pouyet, J. See Sebaa, M., 1049
Prausnitz, J. M. See Chou, L. Y., 1411
Priddy, D. B. See Mork, C. O., 435; Warner, S. L., 461

Qian, B. J.
—; Qin, J.; Wu, Z. Q.; Wu, C. X.; Hu, P. P.; Zhao, J. X.: Macromolecular Entanglement. III. Textural Development of Acrylic Fibers, 871
Qin, J. See Qian, B. J., 871

Raj, R. G.
—; Kokta, B. V.; Nizio, J. D.: Studies on Mechanical Properties of Polyethylene–Organic Fiber Composites. I. Nut Shell Flour, 91
Rajagopalan, N.
—; Shukla, P. G.; Bhaskar, C.; Banker, V. S.; Dharia, J. R.; Khilar, K. C.: Starch Urea Formaldehyde Matrix Encapsulation of Solid Agrochemicals. I. Matrix Synthesis and Characterizations, 909
Rajagopalan, N. See Kulkarni, N. V., 915
Raju, K. V. S. N.
—; Yaseen, M.: A New Equation for Estimating $[\eta]$ from Single-Viscosity Measurement in Dilute Solution, 677
Rakas, M. A. See Jacobine, A. F., 471
Rakshit, A. K. See Vangani, V., 1165
Ramadan, W. A. See Sokkar, T. Z. N., 723
Ramis, X.
—; Salla, J. M.: Theoretical and Experimental Conversion in the Curing of Unsaturated Polyester Resins with Styrene as a Crosslinking Agent, 227
Rao, D. R. See Gupta, V. B., 253
Rao, K. V. C. See Sreenivasan, K., 2105
Ratnam, B. K. See Gupta, A. K., 1303
Rätzsch, M. T. See Weinmann, K., 1265
Rebenfeld, L. See Desio, G. P., 2005
Rein, D. H.
—; Baddour, R. F.; Cohen, R. E.: Gas Solubility and Diffusion in a Polystyrene–Polybutadiene Block Copolymer, 1223
Ren, X. See Zhang, L., 1679
Rengarajan, R.
—; Kesavan, S. K.; Fullerton, K. L.; Lee, S.: Ethylene–Methacrylic Acid Copolymers as Stress Whitening Suppressants in Polypropylenes, 317
Riccardi, C. C. See Galego, N., 607
Ritchey, W. M. See Marcinko, J. J., 391
Roha, M.
—; Dong, F.: Effects of Functional Azo Initiator on PMMA and Polyurethane IPN Systems. III. Tear Resistance and Crack Growth of PBD(1,2)-PU/PMMA (50%) Blends, 1397
—; Dong, F.: The Effects of Functional Azo Initiator on PMMA and Polyurethane IPN Systems. II. The Influence of the Interface and the Matrix Structure on the Mechanical Properties, 1383
—; Wang, B.: The Effects of Functional Azo Initiator on PMMA and Polyurethane IPN Systems. I. Synthesis, Characterization, and Thermal Effects, 1367
Romdhane, I. H.
—; Plana, A.; Hwang, S.; Danner, R. P.: Thermodynamic Interactions of Solvents with Styrene–Butadiene–

Styrene Triblock Copolymers, 2049
Rosenberg, Y.
—; Siegmann, A.; Narkis, M.; Shkolnik, S.: Low Dose γ-Irradiation of Some Fluoropolymers: Effect of Polymer Chemical Structure, 783
Roy, S. See Kumar, N. R., 937
Ruckenstein, E. See Chen, J.-H., 377
Ryttel, A.
Solution Copolymerization of Alkyl Methacrylates and N-Vinyl Carbazole: Reactivity Ratios, 1911

Saccubai, S. See Elangovan, V. J., 1823
Sada, E.
—; Kumazawa, H.; Wang, J.-S.; Koizumi, M.: Separation of Carbon Dioxide by Asymmetric Hollow Fiber Membrane of Cellulose Triacetate, 2181
Saegusa, Y. See Nakamura, S., 265
Sakata, I. See Yamaguchi, H., 1455, 1463; Yoshinobu, M., 805
Salla, J. M. See Ramis, X., 227
Samanta, S. R.
Intrinsic Viscosity and Molecular Weight Measurement of Nylon 66 Polymers, 1635
Samaraweera, U.
—; Gan, S.; Jones, F. N.: Enhanced Reactivity of Melamine–Formaldehyde Resins by Fractionation. Crosslinking at Ambient Temperature, 1903
Samuels, M. Q. See Capps, R. N., 1175
Sarubbi, T. See Fitzgerald, E. A., 363
Sato, T. See Nakamura, S., 265; Okaya, T., 1127
Satoh, H. See Arai, K., 387
Sautereau, H. See Amdouni, N., 1799
Schellenberg, J.
—; Hamann, B.: On the Graft Polymerization of Styrene and Acrylonitrile onto Polybutadiene in the Presence of Vinyl Acetate. I. Preparation of Graft Polymers, 1425
—; Hamann, B.: On the Graft Polymerization of Styrene and Acrylonitrile onto Polybutadiene in the Presence of Vinyl Acetate. II. Properties of Graft Polymers, 79
Schmid, A.
—; Walenius, M.; Flodin, P.: Mechanical Stability of Trimethylolpropane Trimethacrylate-Based Polymers, 1995
Schoonbrood, H. A. S. See Van Doremaele, G. H. J., 957
Sebaa, M.
—; Servens, C.; Pouyet, J.: Natural and Artificial Weathering of Low-Density Polyethylene (LDPE): Calorimetric Analysis, 1049
Šebenik, A. See Žigon, M., 597
Seferis, J. C. See Ahn, K. J., 399
Senapati, M.
—; Burma, S. P. N. S.; Nayak, P. L.: Synthetic Resins. XII. Synthesis and Characterization of the Resins Derived from Resacetophenone–Substituted Benzoic Acids–Furfural, 521
Servens, C. See Sebaa, M., 1049
Shah, C. B.
—; Barnett, S. M.: Swelling Behavior of Hyaluronic Acid Gels, 293
Shewale, J. G. See Bahulekar, R. V., 279
Shiau, G.-Y. See Pan, J.-P., 103
Shiau, S.-J. See Liaw, D.-J., 61
Shieh, Y. T. See Marcinko, J. J., 391
Shiozaki, H. See Tsukada, M., 1189, 1719
Shishoo, R. L. See Epstein, M., 1693
Shkolnik, S. See Rosenberg, Y., 783
Shukla, P. G. See Rajagopalan, N., 909
Shukla, S. R.
—; Gopala Rao, G. V.; Athalye, A. R.: Ultraviolet-Radiation-Induced Graft Copolymerization of Styrene and Acrylonitrile onto Cotton Cellulose, 1341
Siegmann, A. See Rosenberg, Y., 783
Sienko, G. A. See Fitzgerald, E. A., 363
Smith, J. D. B.
Kinetic Studies on Anaerobic Initiated Polymerization, 1
Smith, P. B. See Warner, S. L., 461
Soh, Y. S.
Miscibility of Polymethyl Methacrylate with Poly (Hydroxy Ether) of Bisphenol A, 1831
Sohoni, G. B.
—; Mark, J. E.: Thermal Stability of *In Situ* Filled Siloxane Elastomers, 1763
Sokkar, T. Z. N.
—; Kabeel, M. A.; Ramadan, W. A.: The Color of Absorbing Scattering Fibers Having Skin-Core Structure, 723
Song, S. K. See Park, Y. H., 843
Sotiropoulou, D. D.
—; Gravalos, K. G.; Kalfoglou, N. K.: Modification of Chlorinated Poly(vinyl chloride) by Blending with Epoxidized Polybutadiene, 273
Špaček, V. See Dobáš, I., 923
Sreenivasan, K.
—; Jayabalan, M.; Rao, K. V. C.: Studies on the Sorption of Lipids in Segmented Polyurethanes. II. Effect of Hard-Segment Content, 2105

Srinivasan, K. R. See Gupta, A. K., 1303
Stachurski, Z. H. See Flaris, V., 1789
Stack, G. M. See Capps, R. N., 1175
Stav, E.
—; Bentur, A.; Kohn, D. H.: Polymerization of Acrylamide in the Presence of Calcium Sulfate Dihydrate and Calcium Sulfate Hemihydrate, 2079
Stevens, J. G. See Wang, X., 993
Stolarski, T. A. See Hosseini, S. M., 2021
Strumia, M. See Alvarez, C., 25
Subbarao, R. See Vedanayagam, H. S., 2245
Sudol, E. D. See Barandiaran, M. J., 2187
Sugama, T.
—; Carciello, N. R.: Corrosion Protection of Steel and Bond Durability at Polyphenylene Sulfide-to-Anhydrous Zinc Phosphate Interfaces, 1291
Sugiura, T. See Suto, S., 1623
Sun, R. L. See Kenney, J. F., 355
Surendran, G. See Koelling, A., 669
Suresh Kumar, K. See Pandya, M. V., 663
Suto, S.
—; Kosaka, M.; Sugiura, T.: Viscometric Behavior of Ternary Concentrated Solutions of Hydroxypropyl Cellulose and Ethyl Cellulose in *m*-Cresol, 1623
—; Tashiro, H.; Karasawa, M.: Preparation and Mechanical Properties of Chemically Cross-Linked Hydroxypropyl Cellulose Solid Films Retaining Cholesteric Liquid Crystalline Order, 1569
Suzawa, T. See Tamai, H., 85
Suzuki, K. See Kitoh, S., 1329
Suzuki, M.
—; Nagai, A.; Takahashi, A.: Relationship between Structure and Mechanical Property for Bismaleimide–Biscyanamide Resin (Note), 177
Suzuki, T. See Hirai, T., 1849

Tadros, S. P. See Fitzgerald, E. A., 363
Takagishi, T. See Mori, R., 1869
Takahashi, A. See Suzuki, M., 177
Tamai, H.
—; Kiyota, H.; Suzawa, T.: Surface Properties of Polymethylenediamine-Fixed Styrene/Acrylic Acid Copolymer Latex, 85
Tang, Y.-B. See Yao, K.-J., 349
Tasaka, S. See Inagaki, N., 1041
Tashiro, H. See Suto, S., 1569
Teishev, A. E. See Malkin, A. YA., 237
Terada, K. See Okaya, T., 1127
Tholen, M. G. W. See Winter, H., 451
Thornbury, R. F. See Mourey, T. H., 1983
Tian, R.-C.
—; Gao, J.-P.; Yu, J.-G.; Duan, M.-L.: Graft Copolymerization of Butyl Acrylate onto Pullulan Using Manganic Pyrophosphate as Initiator, 591
Tomoi, M. See Iijima, T., 709
Touloupis, C. See Liouni, M., 2199
Tremblay, A. Y.
Finely Porous Models and Radially Averaged Friction Factors, 159
Trivedi, D. H. See Gonsalves, K. E., 217
Tsai, H.-B. See Chang, S.-J., 371
Tschersich, L. See Weinmann, K., 1265
Tsuji, W.
—; Nakao, T.; Hirai, A.; Horii, F.: Properties and Structure of Never-Dried Cotton Fibers. III. Cotton Fibers from Bolls in Early Stages of Growth, 299
Tsukada, M.
—; Goto, Y.; Freddi, G.; Shiozaki, H.: Chemical Modification of Silk with Aromatic Acid Anhydrides, 1189
—; Goto, Y.; Freddi, G.; Shiozaki, H.; Ishikawa, H.: Chemical Modification of Silk with Itaconic Anhydride, 1719
Turek, T. See Mathiowitz, E., 125
Turner, S. R. See Mourey, T. H., 1983

Ueda, A. See Agari, Y., 1957
Usuda, M. See Hasegawa, M., 1857, 1873

Valero, M. See Goñi, I., 981
Van Den Heuvel, C. J. M. See Heuvel, H. M., 1649
Van Der Does, L. See Chen, G., 853
Van Doremaele, G. H. J.
—; Schoonbrood, H. A. S.; Kurja, J.; German, A. L.: Copolymer Composition Control by Means of Semicontinuous Emulsion Copolymerization, 957
Vanderhoff, J. W. See Lee, K. C., 2207, 2221
Vangani, V.
—; Rakshit, A. K.: Characterization of Natural Polyisoprenes and Synthetic Polybutadiene, 1165
Varadarajan, P. V. See Lokhande, H. T., 2031
Varriano-Marston, E. See Liouni, M., 2199
Vazquez, A. See Galego, N., 607
Vazquez, B. See Goñi, I., 981
Vázquez-Torres, H.
—; Canché-Escamilla, G.; Cruz-Ramos, C. A.: Coconut Husk Lignin. I. Extraction and Characterization, 633

—; Canché-Escamilla, G.; Cruz-Ramos, C. A.: Coconut Husk Lignin. II. Characterization by Infrared and Nuclear Magnetic Resonance Spectroscopy, 645
Vedanayagam, H. S.
—; Kale, V.; Subbarao, R.: Kinetics of Reaction of C_{36} Dimeric Fatty Acids and Ethylenediamine in Solution, 2245
Venditti, R. A.
—; Gillham, J. K.: Isothermal Physical Aging of Poly(Methyl Methacrylate): Localization of Perturbations in Thermomechanical Properties, 501
—; Gillham, J. K.: Physical Aging Deep in the Glassy State of a Fully-Cured Polyimide, 1501
Venkateshwaran, G.
—; Kumar, A.: Solution of Free Radical Polymerization, 187
Verdu, J. See Audouin, L., 2091, 2097
Vernekar, S. P. See Avadhani, C. V., 1335; Idage, S. B., 931
Vrentas, C. M. See Vrentas, J. S., 1497
Vrentas, J. S.
—; Vrentas, C. M.: Isotherm Shape for Penetrant Sorption in Glassy Polymers (Note), 1497
Vuluga, Z. See Memetea, T., 1229

Wadgaonkar, P. P. See Avadhani, C. V., 1335
Walenius, M. See Schmid, A., 1995
Wang, B. See Roha, M., 1367
Wang, J.-S. See Sada, E., 2181
Wang, Q.
—; Ait-Kadi, A.; Kaliaguine, S.: Catalytic Grafting: A New Technique for Polymer/Fiber Composites. II. Plasma Treated UHMPE Fibers/Polyethylene Composites, 1023
Wang, S.
—; Garton, A.: Chemical Interactions at the Interface between a Carbon Fiber and a Boron Trifluoride-Catalyzed Epoxy Matrix, 1743
Wang, T.-H. See Chen, K.-M., 947
Wang, X.
—; Gillham, J. K.: Analysis of Crosslinking in Amine-Cured Epoxy Systems: The One-to-One Relationship Between T_g and Conversion, 2127
—; Gu, W.; Lu, L.; Chen, Z.; Stevens, J. G.: Preparation of Polymer-Supported Schiff Base Iron (III) Complexes and Their Catalytic Activity for Decomposition of Hydrogen Peroxide, 993
Wang, Y.
—; Lei, Z.; Feng, H.; Bao, J.; Wang, Y.: Synthesis and Fluorescence Properties of Rare Earth Metal Ion–Polymer Ligand–Low Molecular Weight Ligand Ternary Complexes, 1641
Wang, Y. See Wang, Y., 1641
—; See Jones, R. A., 819
Warner, S. L.
—; Howell, B. A.; Smith, P. B.; Dais, V. A.; Priddy, D. B.: Use of GPC-UV to Determine the Location of Functional Groups in Styrenic Polymers, 461
Wegener, G. See Merkle, G., 407
Weinmann, K.
—; Wolf, B. A.; Rätzsch, M. T.; Tschersich, L.: Theory-Based Improvements of Continuous Polymer Fractionation Demonstrated for Poly(carbonate), 1265
Williams, R. J. J. See Galego, N., 607
Winter, H.
—; Mostert, H. A. M.; Tholen, M. G. W.: Synthesis and Properties of an Easy-Processable Bismaleimide Thermoset Resin, 451
Wolf, B. A. See Weinmann, K., 1265
Woods, J. G. See Jacobine, A. F., 471
Wu, C. M. See Fritzsche, A. K., 1945
Wu, C. X. See Qian, B. J., 871
Wu, Z. Q. See Qian, B. J., 871

Xia, P.
—; Cheng, H.; Yan, D.: Free-Radical Polymerization of Methyl Methacrylate Initiated by Thiol Alone, 579
Xie, M. See Zhao, Q., 1101
Xu, X.
—; Cheng, S.; Li, J.: Studies on Characteristics and Mechanisms of X—MoO_3 Synergism in Fire-Retarded Epoxy Resin, 1145
Xue, G. See Ding, J., 987, 1087

Yagči, Y.
—; Yildirim, H.; Altun, E.; Baysal, B. M.: Erratum to "Ionic Polymeric Peroxycarbamates", 375
Yamada, T.
A Mathematical Model for a Continuous Esterification Process with Recycle Between Terephthalic Acid and Ethylene Glycol, 1919
Effect of Titanium Dioxide on Direct Esterification between Terephthalic Acid and Ethylene Glycol, 765
Mathematical Model for a Semicontinuous Esterification Process with Recycle Between Terephthalic Acid and Ethylene Glycol, 731

Yamaguchi, H.
—; Higasida, R.; Higuchi, M.; Sakata, I.: Adsorption Mechanism of Heavy-Metal Ion by Micro-Spherical Tannin Resin, 1463
—; Higuchi, M.; Sakata, I.: Methods for Preparation of Absorbent Microspherical Tannin Resin, 1455
Yamaguchi, M. See Nakamura, Y., 1281
Yamauchi, J. See Okaya, T., 1127
Yan, D. See Xia, P., 579
Yan, S. See Chen, J., 2153
Yang, C. See Ding, J., 1087
Yang, C.-P.
—; Chen, Y.-H.: Preparation and Electrodeposition Properties of Trimethylolpropane–Toluene Diisocyanate–Dimethylaminoethanol/2-Ethylhexanol Resins, 1055
—; Lee, L.-T.: Synthesis and Properties of Cationic Resins Derived from Urethane-Modified Epoxy Resins and Methylethanolamine, 1075
Yao, K.-J.
—; Tang, Y.-B.: Synthesis of Starch-*g*-Poly(Acrylamide-co-Sodium Allylsulfonate) and Its Application of Flocculation to Kaolin Suspension, 349
Yaseen, M. See Raju, K. V. S. N., 677
Ye, H. See Chen, J., 2153
Yehia, A. A. See Younan, A. F., 1967
Yen, C.-C.
—; Chang, T.-C.: Studies on the Preparation and Properties of Conductive Polymers. VI. Two-Stage Method to Prepare Metallized Polymer Films (Note), 2057
Yildirim, H. See Yagči, Y., 375
Yoon, H. N. See Kuder, J. E., 583
Yoon, K. J.
—; Carr, M. E.; Bagley, E. B.: Reactive Extrusion vs. Batch Preparation of Starch–*g*–Polyacrylonitrile, 1093
Yoshinobu, M.
—; Morita, M.; Sakata, I.: Porous Structure and Rheological Properties of Hydrogels of Highly Water-Absorptive Cellulose Graft Copolymers, 805
Younan, A. F.
—; Ismail, M. N.; Yehia, A. A.: Reinforcement of Natural Rubber with Nylon 6 Short Fibers, 1967
—; See Badran, A. S., 333
Yu, J.-G. See Tian, R.-C., 591
Yuan, J. See Chen, J., 2153

Zachmann, H. G. See Ahn, K. J., 399
Zelenka, J. See Dobáš, I., 923
Zeronian, S. H. See Buschle-Diller, G., 967; Collins, M. J., 797
Zhang, L.
—; Ren, X.: Morphology and Properties of Polyblend PVC/PBSM (Note), 1679
Zhao, B. See Huang, Y., 71
Zhao, J. X. See Qian, B. J., 871
Zhao, Q.
—; Zhu, Y.; Cai, M.; Xie, M.; Liu, X.: GC/MS and PGC/MS Analyses of Plasma Polymerization for Benzaldehyde, 1101
Zheng, G. See Huang, Y., 71
Zhu, Y. See Zhao, Q., 1101
Žigon, M.
—; Šebenik, A.; Osredkar, U.: Synthesis and Characterization of Phenolic and Amino Resins Based on α,β-Unsaturated Aldehydes, 597
Zoller, P. See He, J., 745
Zubaidi See Kaito, A., 1203